



WESTWAY MACHINERY

Specialists in Metal Forming and Fabricating Machinery



CELEBRATING
50+
YEARS
Vol.48

LETTER FROM THE PRESIDENT

I proudly present to you our annual brochure. The new brochure includes our key product lines, and I hope you will take a few minutes to look through it. More information on these and all of our products can be found on our website www.westwaymachinery.com. We believe that we have the “best in class” machinery solutions in all of our product offerings.

Westway Machinery has been serving the metal forming and manufacturing industry across Canada for over 50 years. We stand committed to providing you with superior metal forming solutions through our expertise, products and services. When you partner with Westway you can be sure you have made a sound purchasing decision. **I Promise !!**

We hope that you have made Westway your “go to” supplier and we want you to know we are determined to providing the highest level of service. In that regard, we are committed to:

- **Continuing** to provide factory training for our service technicians
- **Ensuring** we have sufficient service department personnel to reduce the response time
- **Increasing** our spare parts inventory to minimize “downtime”
- **Continuous** sales team training to keep them current in product knowledge

It remains a great time to invest in new machinery.

Also, our ongoing partnership with a Global Funder ensures your applications, so feel free to request a virtual or physical meeting with them. Alternatively, pay us a visit, schedule a personal machine demonstration under power in our 30,000 Sq.Ft warehouse or request an interactive live web demonstration from the comfort of your own office.

We thank you for your past support and look forward to continuing our partnership with you. Your satisfaction is very important to us. Feel free to contact me directly if you ever have any concerns. For those of you that are new to us, we hope we will have the opportunity to show you how we can help you achieve your goals!

We wish you a successful year and look forward to earning your business.

Sincerely

Frank Walter

President

Westway Machinery



Westway Machinery has been a leading distributor of Metalforming Machinery for over 50 years.



Our experienced and knowledgeable staff can provide you with the level of service and expertise you require to solve your metalforming needs. We keep a large inventory of machinery and parts in stock to promptly meet your requirements.

Purchasing the right machine is an important investment decision for your company and we at Westway are ready to support you with training and service.



www.westwaymachinery.com

Mazak

OUR FOCUS IS YOUR SOLUTION

Advance your fabrication business with a leader in manufacturing solutions

Mazak Optonics is a leader in developing advanced laser and automation technology. Offering an extensive range of 2D and 3D laser-cutting equipment and automation systems, we provide solutions tailored to your needs. Our team takes pride in providing excellent customer care and tech support, making Mazak an easy choice as your partner for innovation. When you *Discover More with Mazak*, you are on your way to optimizing your productivity and your bottom line.



DISCOVER MORE


mazakoptonics.com | 847.252.4500



LASER-CUTTING TECHNOLOGY

PERFORMANCE

Mazak's OPTIPLEX NEO laser-cutting machines offer innovative and proprietary beam shaping technology to deliver optimal thick and thin metal cutting, higher cutting speed, and superior edge quality. Now available in the larger and more powerful, OPTIPLEX 4220 NEO 20kW format.



SMALL TO MEDIUM TUBES

Mazak's FT-150 FIBER delivers high speed and high productivity for small to medium diameter tube production by streamlining and automating processes through advanced technologies.




LARGE TO STRUCTURAL TUBES

Mazak's FG-220/400 machines are optimized for high accuracy cutting of heavier material with larger diameters and lengths. Their multi-axis capabilities enable cutting a wider range of structural material not possible on 2D configurations.




AUTOMATION

Mazak's automation solutions extend the throughput capacity of laser machines. Automation systems provide the ability to flex capacity through lights-out operation, without adding manpower.



INNOVATION

Mazak's SMART CELL robotic sorting system incorporates multiple customizable magnetic or suction cup gripper options to sort laser-cut parts, load raw material, and remove remnant material. SMART CELL can be integrated with other compact load and unload automation systems from Mazak.



Contact your Westway representative to learn more or visit www.mazakoptonics.com.

Mazak
OPTONICS CORP.



E-Brake

From 35 – 300 tons, SafanDarley offers the most sophisticated range of Electronic Press Brakes available. These amazing machines will guarantee you will be more competitive.

The revolutionary Servo-Electric Drive System coupled with the unique Pulley System ensures even forces along the entire length of the bed, eliminating the need for a crowning table.

The Integrated Safety System allows the operator to work fast without risk, with a safety screen automatically directed from the SafanDarley E controls, allows up to a 30% increase in thru-put.

No hydraulics means less maintenance and more energy efficiency.
The Touch Screen control is unrivalled.

The SafanDarley EC Control + the Integrated Safety Light System allows up to a 30% increase in thru-put.


- Full Electric Drive
- More than 30% higher productivity
- Up to 50% energy saving, low CO2 emissions
- No harmful hydraulic oil
- Noiseless operation
- Full working length back gauge
- User friendly touch screen control
- Integrated Safety- work fast without risk
- Spring return means the top beam will always move up in the event of a power failure

Many shops are switching to SafanDarley E-BRAKES... Shouldn't you?

905-803-9999

SUPERIOR INTEGRATION OF HYDRAULICS & ELECTRONICS

R-Brake



- Flexible Bending Cell

Minicell




- Flexible Bending Cell

SafanDarley R-Brake: the flexible bending cell

The SafanDarley R-Brake is a revolutionary bending-cell concept based on the SafanDarley E-Brake press brake. For the SafanDarley R-Brake, the press brake and the robot have been integrated into a single system. The robotic arm moves horizontally along a 6-metre long traverse at the top of the press brake. A feat of bending cell automation that ensures that the floor in front of the press brake is free for positioning sheet-feed and -discharge tables.

Hybrid Hydraulic Brake



- Unique Hybrid Concept
- Considerably low oil tank volume (18-30 ltr)
- High dynamic Y-axis control
- More than 30% higher productivity
- Quiet operation
- Up to 50% energy saving
- Deep throat as standard for maximum bending capacity (510 mm)

M-Shear



- Low-noise and low-energy - a servo-electronic motor powers the hybrid drive
- Return-to-Sender sheet support
- Automatic adjustment of cutting angle and clearance
- Torsion free cutting of small strips
- User friendly touch screen control
- Scrap separation
- Automatic retraction of the back gauge for narrow strip widths
- Hold down cylinders that automatically adjust pressure to the cutting force required

FlexCNC

VERTICAL MACHINING CENTER

IDEAL FOR FABRICATORS

C-Series



Purpose built

From the monoblock welded steel frame to the precision linear guideways, each FlexCNC is specially built to move accurately and effectively. It offers stability and durability when you need it the most.


Uniquely capable

Mill, Drill, Tap, and so much more with one of the industry's most versatile vertical machining centers. Say goodbye to limited machine space, and start machining outside the box.

Next level productivity


Accelerate your productivity by leveraging the power of Pendulum Mode. Load and unload parts without stopping the spindle. Eliminate spindle downtime and lower your cost per part.

G-Series




flexmachinetools.com/flexcnc/

1-800-263-1199



C-Series

- **Machining Area:**
XYZ: 240"/26"/22"
- **Table Size:**
240" x 26"
- **Spindle Nose to Table:**
5" - 22"
- **Max Spindle Speed/Torque:**
4,000 RPM - 18 HP (92 ft/lbs)
6,000 RPM - 18 HP (61 ft/lbs)
12,000 RPM - 33 HP (61 ft/lbs)
- **Tool Type:**
CT40
- **Tool Changer:**
16 Tools
- **Rapid Traverse X,Y,Z:**
X: 1,200 IPM
Y: 1,000 IPM
Z: 300 IPM
- **Repeatability Accuracy [in]**
X: ± 0.0007
Y: ± 0.0005
Z: ± 0.0005
- **Position Accuracy [in]**
X: ± 0.002
Y: ± 0.001
Z: ± 0.001



G-Series

- **Machining Area:**
XYZ: 240"/72"/24"
- **Table Size:**
240" x 72"
- **Spindle Nose to Table:**
3" - 24"
- **Max Spindle Speed/Torque:**
4,000 RPM - 18 HP (92 ft/lbs)
6,000 RPM - 18 HP (61 ft/lbs)
4,000 RPM - 40 HP (217 ft/lbs)
6,000 RPM - 40 HP (145 ft/lbs)
- **Tool Type:**
CT50
CT40 (Optional)
- **Tool Changer:**
20 Tools CT50
24 Tools CT 40 (Optional)
- **Rapid Traverse X,Y,Z:**
X: 1,200 IPM
Y: 1,000 IPM
Z: 170 IPM
- **Repeatability Accuracy [in]**
X: ± 0.0007
Y: ± 0.0005
Z: ± 0.0005
- **Position Accuracy [in]**
X: ± 0.002
Y: ± 0.001
Z: ± 0.001

* Sizes based on standard 20ft machine. Additional lengths & widths available.*

The Highest Level of Precision and Repeatability

These are just a few of our innovative precision metal forming products.




XLTbend

Semi-automated bending solution.

126" x 11 Gauge and 159" x 13 Gauge

TURBObend
For linear bending of roofing
and architectural profiles.



Multibend-Center

Fully automated bending cell.

85" , 100" , 120" x 14 Gauge Capacity



UpDownCenter Semi-automated bending cell.

126" x 9 Gauge and 159" x 11 gauge

Automatic Tool Change or Manual Tool Change

TURBO2plus For efficient bending of roof and façade profiles as well as advertising signs or panels.

126" x 14 gauge Capacity



XL-Center Bi-directional innovation for roofing and architectural profiles. Includes automatic tapering.

126" x 18 gauge capacity



RAS Systems, LLC

RAS HVAC Equipment

The complete package for production of heating, ventilation, and air conditioning components.

VentiRounder

Rounds inside and outside elbow cheeks of air ducts with preformed seams. The segmented and slidable rolls round the duct cheeks without pressing or closing the seams.



Flanger

Turn up 90 degree flanges for radius elbows or straight flanges. Quick, safe, and efficient.



EasyFormer

High quality swaging machine with an advanced control system, pedal controlled variable speed, unlock safety function, and a wide variety of swaging wheels.



DuctZipper V

Forms and closes the seamed joint on small and medium size air ducts. The ductzipper closes a duct bent on three sides with a seam in a single pass.



SpeedySeamer

7 or 9 station pittsburg and snap lock roll former. 25 wheel configurations to choose from.



Swaging

Manual or motor drive available, perfect for the workshop or construction site, comes standard with 9 wheel sets.



Seam Closer

Closing the inside/outside seams on round pipe or square downspouts.



RAS Systems, LLC

"FROM START TO FINISH, ACCEPT NO SUBSTITUTES!"

Introducing the new 32 Series Belt/Rotary Brush/Belt.
Top of the line machine for deburring & edge rounding
surface prep for paint & powder coating.



Our team has the technology to support you
through **virtual visits**, **live demos**, and **live run-offs**.

Please do not hesitate to reach out to your RSM, or email us
at info@timesaversinc.com to schedule a virtual experience.



Toll-free: 800-537-3611
www.timesaversinc.com

The Timesavers Compact 9 Series are economical
machines, ideal for deburring, finishing, and edge breaking
of small parts. The combination of a small footprint and
minimal power requirements allow these models to be easily
placed where the need is greatest.



The Timesavers 22 Series EdgeMaster is your
solution for deburring and edge breaking.
This 2-head configuration has 4 rotating discs
producing secondary burr removal with a superior and
consistent edge break. By combining these 10" discs
with an abrasive belt, parts can be deburred and
finished based on your application.


BAYKAL



**Capacity from
38 - 6,000 Tons,
4' - 40' BED LENGTH**

- Over 500 installations in Canada
- Local service and large inventory of parts in Canada
- Rigidly welded, mono block steel frame for minimum deflection under load
- Full electronic synchronization with proportional valve technology
- Maximum bend accuracy and repeatability is assured through constant monitoring and correction of beam parallelism by the CNC system. Repeatability is +/- 0004"
- CNC-controlled ball-screw back-gauge systems with AC drives
- Removable ram sub-plate for easy tool alignment and maintenance
- ST44-52 European Certified Steel used, requires no stiffeners on ram
- Compactly-wired oversized electrical cabinet with excellent ventilation
- Delem DA-69T, 3-D Touch Screen CNC controller with easy fill-in-the-blank programming, 17" screen, windows based
- American/European top tool holders with side-to-side adjustable wedges
- Hydraulic & Pneumatic top and bottom clamping available
- Bed Crowning from manual to CNC
- Tandem Brakes & large format welded mono-block steel frames
- CSA Z142 compliant and PSHR ready

905-803-9999



Model MGH

Hydraulic Swing Beam Shears

- 1/4" - 3/4" capacity from 10' - 13' length
- 10" throat gap
- Rapid blade gap adjustment
- 40" back gauge



Model HGL

Hydraulic Swing Beam Shears

- 1/4" capacity from 8'-13' length
- Compact design
- 30" back gauge
- Economical choice



PLATE & ANGLE ROLL

DAVI PLATE ROLL AND ANGLE ROLL ARE THE RIGHT CHOICE WHEN IT COMES TO BOTH ROLLING PLATES AND BENDING SECTIONS



PLATE ROLL
FROM GAUGE THICKNESS
TO HEAVY PLATE

ANGLE ROLL
FROM SMALL
TO LARGE PROFILE

**AUTOMATION
& ACCESSORIES**

**TECHNICAL
SUPPORT ON DAVI
AND OTHER BRANDS**

WWW.DAVI.COM

1-800-263-1199

SPEND LESS BEND MORE

GROW YOUR BUSINESS

with WILA

FABRICATING

Mike Hancock | Mike's Metal Works, Owner

"When I started designing this aluminum product, I really didn't know too much about sheet metal. And that's where Dave Bishop from WILA helped us so much. That guy is so smart at his job and so easy to talk to, and he walked us through what we needed. He's the reason why we chose WILA over all the others for tooling"

LEARN MORE

wilausa.com/bend-more

CUSTOMIZED TOOL SELECTION FOR VERSATILITY

STOP PAYING FOR TOOLS YOU DON'T NEED. At WILA, we pride ourselves on offering our customers world class applications support. Our knowledgeable sales staff will work with you to develop a custom tool package, so you can bend everything you need to and avoid paying for tools you don't need. Learn how to apply our "spend less, bend more" strategy for any tool selection at the link provided above. **GROW YOUR BUSINESS WITH WILA.**

 **WILA**
SINCE 1932
THE PRESS BRAKE PRODUCTIVITY PEOPLE

905-803-9999



Industry First - Laser Beam Punch Positioning

Only Fabmaster machines are available with this unique feature.

The laser light makes set-ups quick and punching holes a breeze. Lining up your punch has never been easier.



Single Cylinder

- 50 tons to 66 tons
- Single & three phase motors
- 5 models, 3 styles to choose from

Double Cylinder

- 66 tons to 180 tons
- 12" and 20" punching throats
- Two operator simultaneous operation



Machines have 5 stations (punching, plate, angle & rod shearing, notching) with magnetic light base, emergency stops, scrap boxes, adjustable gibs, safety guards, large punching base, back gauge, quick access to stroke control, electric foot pedals with dwell, and more.

Standard Features




Notching Station



Bar Shear



Flat Bar Shear




Angle Shearing




Punching

Optional Accessories




Angle Bending Press



Multi-stop Gauge Table




Single Die Holder For
Punching Channel Webs



Large Hole Punching



Pipe Notcher




Single Vee Press Brake




Large Vee-Notcher
Punch Side



Multi Vee Press Brake



Optional duplicating table with hydraulic
stripper and hydraulic clamping



Hydraulic hold-down for automatic clamping



Goose-neck die holder
for punching channel
flanges and web



- Well engineered, high quality Punching machines built for accuracy & reliability
- Use standard Trumpf type tooling with urethane springs for stripping
- Three (3) limit switches allow precise setting of the stroke
- Use short stroke for fast punching, switch to long stroke for changing tools
- Quick change punch system:** simply twist the nut by hand and pull down the punch
- Quick change die system:** simply lift the lever and pull out the die
- Wide variety of standard tooling available for different punching needs



The Fabmaster punching machine PM Series, ranges from 38 – 220 tons and comes in 12", 20", or 30" throat depth. The efficiency and precision can be greatly improved with the optional Multi-Stop Table, Duplicating Table or CNC Controlled Positioning Table.

Other optional tooling such as Pipe Notcher, Press Brake, Angle Notcher, Angle Shear and Channel Shear turns the punching machine into a multi-purpose machine.



Multiple stoppers for the X-axis for repetitive punching.



Digital readout for the Y-axis display precise position.



Hand wheel for the Y-axis enable smooth fine adjustment.



Quick change system changes the punch and die in seconds.



Overhang die holder for punching channel flanges and angles



Optional duplicating table with hydraulic stripper and hydraulic clamping for fast and accurate repetition work.



Optional single vee press brake.



Optional multi vee press brake.



Cnc Controlled Tables:

Table Key Features:

- Hydraulic Clamps for strong grip of material
- Hydraulic Stripper with exchangeable plates
- Ball Transfer Units on the support table
- Safety Covers with interlock switches
- Sensor for the Air-Oil Booster to ensure clamping pressure
- Adjustable Servo Motor Speed for various material sizes

Controller Key Features:

- 4 Pre-Programmed patterns
- Stores up to 100 programs each consisting of up to 6 patterns
- Maximum table travel without load: 33 ft/min
- Table Accuracy without load: $\pm 0.002"$


905-803-9999

Available in 2 Models

HBM-44 (44 Tons)


HBM-88 (88 Tons)

- Versatile Horizontal NC bender
- Easily programmed for stroke length, bending depth & return
- A large variety of tooling is available for various jobs such as pipe & tube bending, solid bar bending, shearing, punching, straightening etc.
- Custom tooling can be produced for special applications
- Excellent stroke repeatability of $\pm 0.002''$



Programmable Control Panel

Optional Equipment




Pipe Bending Tool




Straightening Tool




Single V Bending



Shearing Tool



Punching Tool



Flat Plate Edge
Bending Tool



Multi V Bending Tool

HYD-MECH SAWS

FABRICATING


**WHATEVER YOUR
SAWING NEED, WE'VE
GOT THE RIGHT
SOLUTION!**



BAND SAWS • COLD SAWS
MANUAL • AUTOMATIC • CNC

For more than 30 years, Hyd-Mech saws have built a reputation on reliability and durability to keep production working harder and going longer. Leading the industry with metal band saw and circular cold saw technology, we offer the largest range of sawing machines available in the industry.

From portable band saws for home or jobsites to large stationary shop machines – Hyd-Mech saws are a cut above the competition to make your job easier. We also offer a wide array of integrated material handling systems to complete your production department.



1-800-263-1199

S-20A

HORIZONTAL PIVOT BAND SAW

OUR AFFORDABLE, HIGH QUALITY SAWS ARE UNMATCHED IN PROVIDING THE BEST COST-PER-CUT ON THE MARKET

The S-20A, automatic scissor style band saw features a swing head design and provides exceptional miter cutting capability for light to medium duty applications. With the large available capacity, a wide range of materials from solid bars to large structural can be cut. Automatic mode provides for powered saw functions along with automatic clamping and indexing of material. Program the number of pieces needed and the saw will automatically index and cut required pieces.



13" H X 18" W CAPACITY

3 HP

1" BLADE

- AUTOMATIC OPERATION ALLOWS FOR AUTOMATIC CLAMPING AND INDEXING OF MATERIAL
- SAW HEAD SWINGS A FULL 60 DEGREES FOR ANGLE CUTS
- HEAVY CAST IRON HEAD HELPS ABSORB VIBRATIONS PROVIDING BETTER, QUALITY CUTS
- BUILT IN 36" REAR ROLLER TABLE SUPPORTS INCOMING MATERIAL

V-18

VERTICAL TILT FRAME BAND SAW

HEAVY-DUTY, HIGH-PERFORMANCE VERTICAL TILT FRAME SAWS THAT HAVE THE FLEXIBILITY FOR CUTTING TWO-WAY MITERS

The V-18 is a manual vertical band saw with the ability to miter from 45° left to 45° right. Material is secured with two full stroking hydraulic vises resulting in better blade life, increased operator safety and a decreased risk of the material moving during the cut. With the saws 7.5 horsepower True Direct Drive, the Motor and Gear box are bolted together. This results in better transfer of power between the two moving parts as well as lower maintenance costs, better torque, and less vibration resulting in better blade life.



31" H X 18" W CAPACITY

7.5 HP VFD

1 1/4" BLADE

- HYDRAULIC BAND TENSION WILL ENSURE ACCURATE BAND TENSION FOR IMPROVED BLADE LIFE
- DUAL HYDRAULIC FEED CONTROLS CAN CONTROL FEED FORCE AND FEED RATE FOR IMPROVED BLADE LIFE
- OPTIONAL 6 DEGREE CANTED HEAD FOR EFFICIENT CUTTING OF STRUCTURAL MATERIAL

FABRICATING



RELIABLE SAWS. RELIABLE PEOPLE.

HYDMECH.COM

905-803-9999



Lenox has been developing premium-performance tools for nearly 90 years! That unique depth of experience has brought a command of the science of cutting that's second to none.


To make sure you get the best possible performance for your money, our saw blades are constantly tested throughout the design & manufacturing processes.

High Performance Sawing & Contour Cutting


Long Blade Life at High Cutting Rates engineered to cut Structurals, Tubing and Bundles

High Speed steel tooth tips combined with flexible alloy steel backing material results in band saw blades that are the most cost effective choice for most metal sawing applications.

(Compatible with Hyd-Mech saws and many other brands)



Westway Machinery is a Certified Master Distributor for ORIGINAL Lenox Saw Blades in Canada & the U.S.A.



sahinler



4-Roll Heavy Duty Plate Roll

- 3 Hydraulic Planetary Drives
- Suitable for medium & heavy duty plate bending
- Rolls are Induction Hardened & Forged SAE 1050
- Central Lube
- Mobile Control Panel

3-Roll and 4-Roll Profile Benders

- Horizontal or Vertical Positioning
- Heavy Duty design
- Hydraulic Drives





SOCO manufactures a complete line tube benders from simple NC machines to fully CNC models with variable radius, multi stacks, elongation control and SOCO patented GDT (direct gear transmission).

FABRICATING




All electric CNC tube benders up to 11 axis controls, and up to 5" capacity




AUTO series tube benders up to 90mm od, CNC with auto mandrel lube and split die activation.



Fully automatic bending cell, with robotic loading and unloading, and part inspection.



Model SB-20x4A-af20, all electric 4 axis CNC with auto loader, 20mm capacity tube



SB-30x5A-3S-U, all electric 5 axis CNC bender with auto loader, 3 stack with variable radius, 30mm capacity tube

A Global leader in circular saw cutting technology



SOCO saw system with bundle loader, wire brush deburring and length measuring and stacking systems



Automatic saw with bundle loading system for high tensile steel tube cutting



Pivoting:

- Fast, Precise, Clean
- Burr Free, Dust Free
- Mitre Cutting left & right
- 75 mm Solid Bar
- Up to 115 mm O.D. Tube
- Electric coolant pump with large reservoir tank




Double or Single Tube End-Finishing Machines

- Fast, Accurate, Economical
- Chamfering / End Facing of round tubes from 1" – 10' length & up to 4 1/2" O.D.

CUT BETTER WITH A **FLOW** WATERJET

Any Material. Any Shape. Superior Edges.



METAL

COMPOSITES

STONE


GLASS

THICK

PRECISION

GASKET


STACKED



MACHseries

Technology leadership and superior
performance at every pricepoint.






RDB-175

- 2" schedule 40 pipe capacity
- Bends 0° - 180°
- Ideal for hand railing, roll cages,
- Motorcycle frames etc.



RDB-250

- 3" tube
- 2" schedule 40 pipe capacity
- Bends to 180° in 11 seconds
- Variable Speed & Programmable



MB-350NC Bender

- 3" x .065" wall stainless steel tube capacity
- 140 programs, 10 bends per program
- 1.5D bends
- Mandrel Extractor/Positioner
- User friendly Touch Screen
- Quick change Tooling

1800

Welding Positioner

- Variable Speed (0-6 rpm)
- 250 lbs capacity
- 110 V, 15 amp



TN-800

Tube & Pipe Notcher

- 3" capacity
- 110 V
- Variable Angles
- Perfect Weld Joint
- Fast & Clean





Made in the USA




Hand Brakes

- From 4' to 12'
- Up to 12 ga. capacity



Apron and Box & Pan Brakes

- From 4' to 12'
- Up to 12 ga. capacity



Foot & Powered, Low Profile Shears

- 3' to 12'
- 16 ga. to 10 ga.



Slip Rolls

- Manual & Powered
- From 2' to 4' & up to 16 ga.



Turning Machines

Manual & Powered



Cleat & Cheek Benders



Hand Notcher

Model 16-18

Vicon Machinery LLC

Where Superior Duct Work Begins.™



Manufactured in the USA



TDX & TDX-II Rollformers
Produces T-25A and T-25B transverse flanges



V8 Rollformers
Produces Pittsburgh, Snaplock, and Slip & Drive connections



Full Coil Line
Duct Line Processing System



Duct Brake




Single Head Corner Inserter



Dual Head Corner Inserter



Pittsburgh Seam Closer



Shear-n-Bend
Automatic Rectangular Duct Blanking System

905-803-9999

Plasma Automation Inc.

One Source. One Solution.



Manufactured in the USA




HVAC 510
Plasma Cutting System



HVAC 520-DT w/ Coil Feeder
High Volume Plasma Cutting System



HVAC 520-DL
Plasma/Liner Cutting System




Spiral Pipe Cutter



Vi-Stream Waterjet
Liner Cutting System



Fabricator-SS
Plasma Cutting System



Monarch
Heavy Duty Precision Plasma Cutting System



Elite
Precision Plasma Cutting System

HVAC and ROOFING

1-800-263-1199

flagler





Made in the USA

HVAC and ROOFING



Pittsburgh Machines

From 24 ga. to 16 ga.



Cleatmaster Machines

- Built-in S Cleat and Drive Cleat rolls
- Outside Rolls available
- Tap in Lock
- ACME REEVES Lock
- Button Lock
- Right Angle Flange
- T-Connection
- Standing Seam
- HEM and Tear Drop

Buttonlock Machines

- 20-30 ga.
- 100 FPM
- 1/2" pocket

Also available:

- Power Flangers
- Collar Machines
- Gang Slitter & Beaders
- Dual Head Universal Machines



INBOARD	OUTBOARD	ROLLS	CAPACITY	SIZE
		1/2" BUTTON LOCK	20-30 Ga.	1/2" Pocket

www.westwaymachinery.com

SAMPSON



THS Series Hydraulic Power Shears

Up to 1/4" capacity
Guillotine type
Economical choice



Hydraulic and Apron Box & Pan Brakes

- Up to 10 ga. capacity
- Heavy Duty design
- Easy to use

HVAC and ROOFING



Heavy Duty Box & Pan and Apron Brakes

From 4'-14' and up to 12 ga. capacity
Proven design
Hundreds of machines in service



Powered and Manual Hydraulic & Mechanical Rolls

- Hydraulic drop end
- Powered Pinch
- Digital Readouts

1-800-263-1199

MORLIN

Pittsburgh Electric Lockhammer

- Portable
- Easy to use
- 22 ga. – 30 ga. capacity
- 115/1/60




MODERN

Gobbler / Nibbler / Air Hammer



SN-41 Gobbler

- 1/4" capacity
- 115/1/60



HN-90 Nibbler

- 7 ga. capacity
- 115/1/60



PLH -37 Pittsburgh Air Hammer

- 18 ga. – 30 ga. capacity
- Lightweight

BEVERLY

SHEARS

Model B1

- 14 ga. capacity
- 18 lbs

Model B2

- 10 ga. capacity
- 35 lbs

Model B3

- 3/16" capacity
- 58 lbs






Press Feeding Systems and more

Major automotive parts manufacturers trust Mecon equipment.



Big or small, complex or simple, Mecon provides custom solutions.



STAMPING

Functional and attractive designs.



- OTHER PRODUCTS**
Mecon offers many other products and services:
- ☐ Tube Handling systems
 - ☐ Punching Systems
 - ☐ Cut to length systems
 - ☐ Special purpose machines
 - ☐ Brake press tooling
 - ☐ Fabrication & machining services



Mecon Industries Limited

A Leader in the Design and Manufacture
of Press Feeding Systems and Accessories.

905-803-9999



SD1 & SD2 Series Solid Frame Crank Servo Presses

SD1: 80-300 Tons
SD2: 160-500 Tons

- Direct Drive design featuring SEYI High Torque-Low RPM servo motors.
- Fully programmable slide motion.
- Eight-point gib slide guiding for improved accuracy and precision.



SDG2/SDG4 & SDE2/SDE4 Series Straight Side Servo Presses

SDG: 400-1200 Tons
SDE: 400-2400 Tons

- Tie-rod structure for minimal deflection
- Crank or eccentric gear drives
- Direct Drive design featuring SEYI High Torque-Low RPM servo motors
- Fully programmable slide motion



STAMPING



SM Series Special Application Link Presses

SM1 Heavy Stamping: 300-1000 Tons

- Reinforced structure for thick plate stamping
- Eccentric shaft & four bar linkage drive design

SM2 High Speed Progressive Stamping:
200-600 Tons

- Ultra-rigid frame design for minimal deflection
- Dynamic balancing system to reduce vibration





SN Series C Frame Crank Presses

SN1: 25-250 Tons
SN2: 110-300 Tons

- High torque, low noise wet clutch/brake unit
- Rigid, fabricated steel frame with minimal deflection
- High accuracy transmission gears & extra rigid crankshaft
- Forced lubrication system with fault monitoring



SNS/SLS Series Solid Frame Crank Presses

SNS1/SLS1: 80-300 Tons
SNS2/SLS2: 160-500 Tons

- High torque, low noise wet clutch/brake unit
- Rigid, fabricated steel frame with minimal deflection
- High accuracy transmission gears & extra rigid crankshaft
- Forced lubrication system with fault monitoring
- Link motion option is available



SAG2/SAG4 & SE2/SE4 Series Straight Side Presses

SAG: 300-1200 Tons

- Center drive design with 8-point gib guided slide
- Wet-type or hydraulic clutch/brake

SE: 400-2400 Tons

- Eccentric gear drive with plunger and 8-point gib guided slide
- Wet-type or hydraulic clutch/brake



PRECISE PERFORMANCE, HIGHEST PRODUCTION.
The full line of feeding & coil handling
equipment you need today



TOOLS FOR
Success
RAPIDAIR



To be successful in today's stamping operations you need every advantage from your feeding and coil handling equipment. Precise performance at the highest production levels. Dependable time-proven features and controls that come standard. And lasting service life. You also need a supplier who provides seasoned engineering expertise to design the optimum solution for your specific application. A tall order for many manufacturers, but not Rapid-Air.

For over half a century, stamping operators throughout North America have turned to Rapid-Air to maximize their profitability and drastically reduce costs. Choose from our vast selection of innovative products and space saving equipment configurations, all made in the USA, backed by local parts and service.




THE MOST RELIABLE FEEDING & COIL HANDLING EQUIPMENT MADE

Contact us today to provide the tools for success that you need.

www.westwaymachinery.com

Over 75 Pre-Owned machines in stock today!
Access our inventory on our website under "PRE-OWNED"



OTHER

905-803-9999



Get the equipment your business needs to function and grow



Approval same day!


Why Lease

- Preserves cash in the business
- Preserves lines of credit
- Lease payments may be deducted as business expenses, reducing the net cost of your lease.
- Leases may be structured with no down payment, 100% of the purchase price can be financed.
- Sales tax is spread over the term of your lease not paid up front
- Upgrade equipment by returning it and trading up

Why Axiom

- Westway's in house leasing provider
- We understand your product
- Competitive rates
- Flexible payment arrangements
- Rent to own options
- Trade in and upgrade options

OTHER



Office: 905-803-0758
kurt@axiomleasing.com
www.axiomleasing.com

1-800-263-1199

SERVICE



Our service department consists of 6 highly qualified and trained technicians, a dispatcher and service manager. We are ready to help!

SERVICES OFFERED:

- Start-ups and commissioning on new machines
- Warranty after sales service
- Control and software training (i.e. Delem, Cybelec etc...)
- Breakdown repairs
- Preventative maintenance
- Machine inspections
- Calibrations
- Oil and filter changes
- Oil analysis

Call us today for service related inquiries 905-803-9999 ext.241

PARTS, ACCESSORIES and CONSUMABLES

Our parts department keeps very busy with a number of different activities!

We have very knowledgeable staff with many years of experience to serve you.

With a large inventory of parts in stock and same day delivery, we can keep your machinery up and running. Also, we can quickly source and offer a quick turn around on parts for older machines.

SERVICES OFFERED:

- Replacement parts
- Sale of:
 - Saw blades for band saws and cold saws
 - Ironworker punches and dies
 - Sanding belts
 - Press brake tooling
 - Press clutches and PTO's
 - And much more...



Call us today for parts related inquiries 905-803-9999 ext. 232 or 245


OTHER



family of products brings performance, reliability, and precision to your equipment.

For over 30 years WPT Power's clutches and brakes support the demanding needs of Steel/Metal Forming industry. Whether it's presses, shears, tension control, or any high-cycle application, minimizing your downtime and efficiently increasing

your production is what we deliver. Our products provide the precision control and reliability that OEM's require in their operation. Performance and safety on your equipment is crucial and that is where our product lines make a difference.



Low Inertia Clutches & Brakes

The Low Inertia Clutches and Brakes are well-suited for high-cycle applications, such as steel shears and presses. The Low Inertia Brake is a ventilated design to optimize airflow, allowing it to run cooler in high-cycle applications. The Low Inertia Clutch design reduces the rotational mass during starts and stops, allowing for increased cycles per minute and reduced deceleration times.



Power Grip Clutches

The Power Grip Clutch is designed to accommodate in-line and shaft-to-shaft power transmission applications with large inertia loads. Multiple actuator designs allow seamless, controlled engagement and disengagement. Power Grip clutches allow for quick response, space-saving footprints, and minimal maintenance requirements.



Copper Water Cooled

The Copper Water Cooled (CWC) brake is designed for maximum heat transfer in a small package. The CWC is perfect for tension control equipment, coil processing, paper mill unwinding stands, large inertia stops, and high cycling applications. The airtube actuator allows for smooth torque transitions while still delivering peak performance.

*Call or visit us online
for more information!*



WESTWAY MACHINERY

Specialists in Metal Forming and Fabricating Machinery

(800) 263-1199 | www.westwaymachinery.com/wpt-clutches-and-brakes/
Email: parts@westwaymachinery.com

NOTES

NOTES

NOTES

Metal Forming
and Fabricating
Equipment
Since 1972



WESTWAY MACHINERY

2370 Cawthra Road
Mississauga, ON L5A 2X1

T 905-803-9999
F 905-803-9109
TF 1-800-263-1199
E sales@westwaymachinery.com
W westwaymachinery.com